

.

From: Hanchett, James (DPH)
Sent: Thursday, May 31, 2012 1:43 PM
To: Nassif, Julianne (DPH)
Subject: RE: copier

Hi Julie,
The copier is in the Lab. We never shared a copier with BID.

Jim

From: Nassif, Julianne (DPH)
Sent: Thursday, May 31, 2012 1:26 PM
To: Hanchett, James (DPH)
Subject: RE: copier

Jim,
Is the copier in the lab or in the BID Office area?
Julie

From: Hanchett, James (DPH)
Sent: Friday, May 25, 2012 1:12 PM
To: Nassif, Julianne (DPH)
Subject: RE: copier

Hi Julie,
The copier is leased.

Jim

From: Nassif, Julianne (DPH)
Sent: Friday, May 25, 2012 11:38 AM
To: Hanchett, James (DPH); Salem, Sharon (DPH)
Subject: copier

Hello,
I am in the process of preparing a list of assets that will be transferred to MSP in July. The analytical equipment is easy – I will send back the spreadsheet we prepared last year for you to review and update. Grace asked about the copier. Do we own that? BID/ UMASS? Is it a lease? Thanks, Julie

Julianne Nassif
Director of Analytical Chemistry
William A. Hinton State Laboratory
Massachusetts Department of Public Health
305 South Street Boston, MA 02130
617.983.6651 (voice) 617.983.6662 (fax)